

PCT

WORLD INTELLECTUAL  
PROPERTY ORGANIZATION  
Intern:



WO 9604618A1

INTERNATIONAL APPLICATION PUBLISHED IN

(51) International Patent Classification<sup>6</sup>:  
G07F 19/00, 7/08, H04L 9/32

A1

(11) International Publication Number: WO 96/04618

(43) International Publication Date: 15 February 1996 (15.02.96)

(21) International Application Number: PCT/US95/10390

(22) International Filing Date: 7 August 1995 (07.08.95)

(30) Priority Data:  
08/286,619 5 August 1994 (05.08.94) US

(71)(72) Applicants and Inventors: HUGHES, Thomas, S.  
[US/US]; 31310 Eagle Haven Circle, Rancho Palos Verdes,  
CA 90275 (US). MOLINA, Gustavo [US/US]; 24292  
Rhonda Drive, Laguna Niguel, CA 92656 (US).

(74) Agent: TOWER, Lee, W.; 19 Saddle Road, Rancho Palos  
Verdes, CA 90275 (US).

(81) Designated States: AM, AT, AU, BB, BG, BR, BY, CA, CH,  
CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IS, JP, KE,  
KG, KP, KR, KZ, LK, LR, LT, LU, LV, MD, MG, MN,  
MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK,  
TJ, TM, TT, UA, UG, UZ, VN, European patent (AT, BE,  
CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT,  
SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML,  
MR, NE, SN, TD, TG), ARIPO patent (KE, MW, SD, SZ,  
UG).

Published


With international search report.

Before the expiration of the time limit for amending the  
claims and to be republished in the event of the receipt of  
amendments.

(54) Title: SYSTEM FOR REMOTE PURCHASE PAYMENT AND REMOTE BILL PAYMENT TRANSACTIONS

(57) Abstract

A terminal is provided for allowing a user to conduct remote purchase payment and remote bill payment transactions with a remote host computer. In one embodiment, the terminal includes a QWERTY alphabetic keyboard (14), a numeric keypad (16), a magnetic card reader (54), a display (12), a printer (52), a modem (310), all integral to the terminal. A controller is included for operating the terminal and communicating with the remote host computer system via the modem, the controller coupled to the QWERTY alphabetic keyboard (14), the numeric keypad (16), the magnetic card reader (54), the display (12), the printer (52), and the modem (310). A memory is coupled to the controller for storing a transaction log of purchase payment transactions, each purchase payment transaction in the transaction log comprising a date and time of purchase payment transaction, an amount of the purchase payment transaction, information identifying a merchant, information identifying an item or service purchased, and data for identifying the transaction.



**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

|    |                          |    |                                       |    |                          |
|----|--------------------------|----|---------------------------------------|----|--------------------------|
| AT | Austria                  | GB | United Kingdom                        | MR | Mauritania               |
| AU | Australia                | GE | Georgia                               | MW | Malawi                   |
| BB | Barbados                 | GN | Guinea                                | NE | Niger                    |
| BE | Belgium                  | GR | Greece                                | NL | Netherlands              |
| BF | Burkina Faso             | HU | Hungary                               | NO | Norway                   |
| BG | Bulgaria                 | IE | Ireland                               | NZ | New Zealand              |
| BJ | Benin                    | IT | Italy                                 | PL | Poland                   |
| BR | Brazil                   | JP | Japan                                 | PT | Portugal                 |
| BY | Belarus                  | KE | Kenya                                 | RO | Romania                  |
| CA | Canada                   | KG | Kyrgyzstan                            | RU | Russian Federation       |
| CF | Central African Republic | KP | Democratic People's Republic of Korea | SD | Sudan                    |
| CG | Congo                    | KR | Republic of Korea                     | SE | Sweden                   |
| CH | Switzerland              | KZ | Kazakhstan                            | SI | Slovenia                 |
| CI | Côte d'Ivoire            | LI | Liechtenstein                         | SK | Slovakia                 |
| CM | Cameroon                 | LK | Sri Lanka                             | SN | Senegal                  |
| CN | China                    | LU | Luxembourg                            | TD | Chad                     |
| CS | Czechoslovakia           | LV | Latvia                                | TG | Togo                     |
| CZ | Czech Republic           | MC | Monaco                                | TJ | Tajikistan               |
| DE | Germany                  | MD | Republic of Moldova                   | TT | Trinidad and Tobago      |
| DK | Denmark                  | MG | Madagascar                            | UA | Ukraine                  |
| ES | Spain                    | ML | Mali                                  | US | United States of America |
| FI | Finland                  | MN | Mongolia                              | UZ | Uzbekistan               |
| FR | France                   |    |                                       | VN | Viet Nam                 |
| GA | Gabon                    |    |                                       |    |                          |

-1-

**SYSTEM FOR REMOTE PURCHASE PAYMENT  
AND REMOTE BILL PAYMENT TRANSACTIONS**

**Background of the Invention**

**Field of the Invention:**

5        This invention relates to systems for purchase payment and  
bill payment transactions.

**Description of the Related Art:**

10        Currently point of sale terminals have become common at  
such locations as: Carl's Jr., a fast food restaurant, Hughes  
grocery markets, and ARCO gas stations. To operate these point  
of sale terminals the user is prompted to insert his or her  
debit ATM (automatic teller machine) card into a terminal card  
15        reader located at the site of the purchase and then is prompted  
for his or her PIN (personal identification number) and then  
the user enters the amount of the purchase or the amount of the

purchase may be automatically supplied by the register at the Carl's Jr. or the pump at the ARCO station. If approved by a remote host computer, funds are automatically transferred from the user's account to the merchant's account. Alternately, if  
5 the purchase is made with a credit card, then the amount of the purchase is automatically debited to the user's credit card. These point of sale terminals located at a merchant are designed to have a limited function and are convenient to use for that limited function; however, to be more useful it is  
10 necessary to have a system and terminal with additional functions.

Various portable terminals are in the prior art; however, they have various limitations. For example, U.S. Pat. No. 5,050,207 discloses a portable automated teller machine with  
15 transducers to couple to a host bank computer via a telephone handset of any phone. It allows the user to securely access bank and bank accounts and to securely effect either interaccount transfers or bill payments; however the device has no alphabetic keyboard, printer or magnetic card reader. U.S.  
20 Pat Nos. 4,689,478, 4,652,698, 4,536,647, and 4,454,414 for portable terminals have some of the same limitations.

U.S. Pat No. 4,341,951 has a mechanism for printing on a vendor voucher, but assumes that the terminal is portable and taken to the merchant, which is highly inconvenient and negates  
25 the concept of electronic shopping.

The current devices are not convenient or general purpose enough. For example, there is generally no convenient way to enter alphabetic data on these terminals. They are optimized for numeric data such as PIN and amount data. An example, is  
30 the popular VERIFONE, which like the devices above has a touch tone type keypad with the ten digits and "\*" and "#". As is normally the case on telephone touch tone keypads, letters are associated with each digit. For example, the letters "A", "B" and "C" are associated with the digit "2". It is possible to  
35 enter a letter by going into an alphabetic mode and by pressing the "2" key once, twice or thrice to pick a letter to enter;

however, this is very inconvenient, and therefore limits the usefulness of these terminals.

The user in the home needs more functions than the typical point of sale terminal or VERIFONE provide. For example, most individuals pay monthly bills by writing checks and mailing or delivering them. It would be desirable to have a terminal in the home that could provide this function in a convenient manner. It would also be desirable to have the ability to pay for purchases immediately upon selecting an item to purchase, for instance an item in a catalog. This would speed delivery for the consumer and provide better cash flow for the merchant. Also, it would be more convenient and secure if the user did not have to give a credit card number directly to an operator or salesperson.

#### Summary of the Invention

It is an object of this invention to provide a terminal which can perform purchase payment and bill payment transactions. It is another object of this invention to provide a terminal to allow debit and credit card holders the ability to conveniently and remotely perform these financial transactions. It is another object of this invention to provide a terminal to allow smart card holders to also remotely perform these financial transactions.

It is another object of this invention to combine a telephone function with the terminal. Another object of this invention to provide for wireless or cellular telephone communication with a remote host computer.

It is yet another object of this invention to provide a system including a terminal and a personal computer.

According to one embodiment of the invention, a terminal is provided for allowing a user to conduct remote purchase payment transactions with a remote host computer. The terminal includes a QWERTY alphabetic keyboard for entering alphabetic information integral to the terminal, a numeric keypad for entering numeric information integral to the terminal, a

magnetic card reader for reading a magnetically encoded card integral to the terminal, a display integral to the terminal, a printer integral to the terminal, a modem for communication on telephone lines integral to the terminal, a controller for  
5 operating the terminal and communicating with the remote host computer system via the modem, the controller coupled to the QWERTY alphabetic keyboard, the numeric keyboard, the magnetic card reader, the display, the printer, and the modem, and a memory coupled to the controller for storing a transaction log  
10 of purchase payment transactions, each purchase payment transaction in the transaction log comprising a date and time of the purchase payment transaction, an amount of the purchase payment transaction, information identifying a merchant, information identifying an item or service purchased, and data  
15 for identifying the transaction.

Other objects and many of the attendant features of this invention will be more readily appreciated as the same becomes better understood by reference to the following detailed descriptions and considered in connection with the accompanying  
20 drawings in which like reference symbols designate like parts throughout the figures.

**Brief Description of the Drawings**

FIG. 1 is a top view of the terminal in accordance with the present invention.

5 FIG. 2 is a sectional side elevation view of the terminal taken along line 2-2 of FIG. 1.

FIG. 3 is a diagram showing a system for bill payment and purchase transactions in accordance with the present invention.

FIG. 4 is a functional block diagram of the terminal in accordance with the present invention.

10 FIGs. 5A and 5B are flow charts for a purchase payment transaction in accordance with the present invention.

FIG. 6 is the format of a purchase payment transaction receipt in accordance with the present invention.

15 FIGs. 7A, 7B and 7C are flow charts for a bill payment transaction in accordance with the present invention.

FIG. 8 is the format of a bill payment transaction receipt in accordance with the present invention.

FIG. 9 is a flow chart of a settlement review transaction in accordance with the present invention.

20 FIG. 10 is the format of a settlement review receipt in accordance with the present invention.

FIG. 11 is a top view of a terminal including a telephone in accordance with the present invention.

25 FIG. 12 is a functional block diagram of a terminal including a telephone in accordance with the present invention.

FIG. 13 is a top view of a terminal including a cellular telephone or wireless transmitter/receiver in accordance with the present invention.

30 FIG. 14 is a functional block diagram of a terminal including a cellular telephone or wireless transmitter/receiver in accordance with the present invention.

35 FIG. 15 is a functional block diagram of a system including a terminal with a cellular telephone or wireless transmitter and receiver in accordance with the present invention.

FIG. 16 is a functional block diagram of a system including a terminal for performing transactions using a computer in accordance with the present invention.



### Detailed Description

Referring now to the drawings, and more particularly, to FIG. 1, there is shown a top view of the terminal 10 in accordance with the invention. The terminal has a display 12, a QWERTY alphabetic keyboard 14, a numeric keypad 16, and a magnetic card reader slot 54. Miscellaneous keys include: YES/ENTER key 18, NO/CANCEL key 20, CLEAR key 22, SEND key 24, up key 26, down key 28, left key 30, right key 32, ENTER key 34, rubout (Rub) key 36, space key 38, delete (DEL) key 40, insert (INS) key 42, parenthesis key 44, shift key 46, and alt key 48. A set of miscellaneous symbols 49 are available on the upper row of QWERTY keys by using the alt key 48. Also available are the "-", "." key 50 and the "/", "," key 51.

FIG. 2 is a sectional side elevation view of the terminal. In FIG. 2 the magnetic card reader slot 54 between the QWERTY alphabetic keyboard 14 and the numeric keypad 16 is evident, as is paper slot 52. Also shown in FIG. 2 are the locations of the printer 56, liquid crystal display (LCD) module 58, alphabetic keypad module 60 and numeric keypad module 62.

The display 12 in one embodiment is a liquid crystal with 20 characters x 4 lines and is a supertwist, reflective display with black foreground on yellow/green background. Scrolling through the display is accomplished by using the left key 30, right key 32, down key 28, and up key 26.

The printer 56 is fed paper from a paper roll (not shown), which would be attached to the terminal. In one embodiment the printer would be a thermal type with a 7 x 5 character dot matrix. The printer can be implemented with a SEIKO MTP-201.

The magnetic card reader positioned alongside magnetic card reader slot 54 is a hand swipe, bidirectional type, and conforms to A.B.A. track II standard and can be implemented with a MAGTEK 21006505 I.C.

The overall system is shown in FIG. 3. The remote host system 80 is the engine that receives the terminal requests and manages the bank link interactions and consists of computers, modems, and communication drivers. Message traffic is predominantly initiated from the terminal 10 located in homes

or offices. Transaction requests are connected to the remote host system 80 processing center through terminal line handler 82 processes. The terminal line handler 82 process translates the terminal message format to an internal format used within the remote host system 80. These standardized messages are then passed to the transaction monitor 84 process, which determines the requirements of the request. If a PIN needs translation the transaction monitor 84 requests this from the security line handler 86, which is connected to a host security module 88 that performs all PIN translations. A PIN is always encrypted for transmission between secure zones. Encryption can be performed with a Racal Guardata RG6000.

The bank line handler 90 presents the request messages to the authorizing institution, which may be via debit network interface 92 to debit networks 94, after translating the internal message format to the proper format. The response of that request is then sent directly back to the terminal line handler 82 process for return to the terminal 10. There is a bank line handler 90 for each link to each bank including the debit network which could, for example, include the EXPLORE, CIRRUS, INTERLINK, and PLUS networks.

The transaction monitor 84 process is responsible for all message switching decisions and required disk input/output for the remote host system 80. The transaction monitor 84 accepts requests from the terminal line handler 82 and bank line handler 90 and initiates requests to the security line handler 86 and bank line handler 90. It verifies the terminal, merchant and card as appropriate and will perform any standing processing required by the remote host system 80.

Additional message traffic can be initiated by the financial institution in the form of network control messages and key management requests. Requests are generated by batch processes and from customer and merchant support functions. These requests are channeled to the appropriate locations and replies are returned depending on the type of transaction being performed.

The terminal initialization 102 process provides terminal initialization of customer information. Merchant and customer service 100 provides the following information: transaction detail that can be inquired on by a merchant or a terminal; date and time; merchant setup information; and terminal setup information.

The batch processing 96 system provides settlement initiation to the associated bank line handler 90 processes and reports for the remote host system 80 can also be created from this process.

FIG. 4 is a functional block diagram of the terminal 10. A microprocessor unit 110, which can be implemented as an Intel 8096, has interfaces with the remainder of the functional elements via three interfaces: an interface to a modem 146, address and data bus 112 and input/output bus 114.

The modem 146 comprises an analog front end 144, which is linked to a DAA 145 that is an interface that isolates the analog front end 144 from the phone line 148. The modem 146 is coupled to phone line 148 and has the following protocols: CCITT V.22 bis with 2400 bps synchronous and asynchronous and 1200 bps synchronous and asynchronous; CCITT V.22 A & B with 1200 bps synchronous and asynchronous; Bell 212A with 1200 bps synchronous and asynchronous; and CCITT V.21 / Bell 103 with up to 300 bps asynchronous. The analog front end 144 can also drive a speaker 150.

The address and data bus 112 is decoded by a memory mapped I/O decoder 116, which determines the sources and destinations for the address and data bus 112 including: memory 118, which has both random access memory (RAM) and read only memory (ROM) and has a plurality of banks selected by bank select 117; QWERTY alphabetic keyboard 14, numeric keypad 16 and miscellaneous keys 122, which are enabled via select 124; and display 126, which is enabled via select 128. The memory 118 has 64K bytes, which is allocated to the program for the microprocessor unit 110 and the transaction log 119 and profile list 120.

The input/output bus 114 communicates via multiplexer 140 and multiplexer 134 to printer 138, magnetic card reader 132 and serial interface 130. The RS232 serial interface is 300, 600, 1200, 2400, 4800, or 9600 baud, and has a XON-XOFF feature  
5 available.

Power is supplied by power supply 152, which uses normal wall power and a backup 3 volt lithium battery for non volatile memory support.

The terminal 10 requires software initialization for key  
10 information, dynamic customer dependent information and host initiated updates. After final assembly and test the terminal 10 is injected with the encryption key and terminal number. The key injection is done by external connection to a Remote Key Injection Facility (RKIF), which is a secure device to  
15 inject the key information needed for handling PIN data. The base derivation key is the key used as a seed for injection into the terminals from the RKIF.

After purchase there are a series of functions that the terminal performs for initialization with the remote host  
20 system 80. First, the customer supplies customer information to the remote host system 80. On connection to the remote host system 80 via modem 146, the remote host system 80 reads the terminal serial number and validates it. Then the remote host system 80 loads the terminal with the customer name and  
25 address.

The terminal can then be updated based on information available to the host during the course of another transaction. For example: (a) the terminal 10 initiates a call to the remote host system 80 for another function; (b) remote host system 80  
30 completes original transaction and notifies terminal that additional information is available, such as: changes to existing customer information; additions and deletions to the bill payment profiles; or software modifications in areas that are not protected.

35 The terminal is protected from undesired software changes by detecting any difference between a calculated checksum and a stored checksum. If there is any difference, then the

following actions take place: the internal encryption key is erased; most of the internal software is erased or destroyed to be made unfunctional; the display is set to ask the user to call customer service in a unique way; and the terminal will initiate one call and notify the host of the current state and report the terminal number. Other software checks include a check code included with all merchant numbers, which is validated prior to acceptance and validation that all amount entries are within range and any entry outside of that range must be reentered.

The terminal maintains internal counters and status registers that are available to the host when requested at the end of a normal transaction. They include: total number of transaction requests; total number of encryptions; total number of approved transactions, which is called a sequence number; last retrieval reference number received by the terminal; total dollar amount and transaction count for current date; and total dollar amount and transaction count for the last N days, where N could be 7 days for a week. The sequence number internal counter can be stored in memory 118 and is incremented by the microprocessor unit 110 when a transaction is approved. The sequence number can be used to track each approved transaction for the terminal.

The terminal manages a local data base including a transaction log and a profile list. Each of these are as large as the memory permits. The characteristics of these data bases are as follows:

1. TRANSACTION LOG

CONTENTS - The transaction structure contains all the information for purchase payment transactions.

- (1) date mm/dd/yy time hh:mm
- (2) amount : \$<amount>
- (3) account # : <account number>/expire date
- (4) terminal# : <terminal number>
- (5) merchant #: <merchant id>
- (6) trace# : <trace id>

(7) item# : <purchased item identifier>  
(8) account : <account type> savings,  
checking

(9) sequence# : <sequence number>  
5 (10) authorization number: <authorization number  
from host> <approved or denied>  
(11) reference# : <retrieval reference number>  
(12) merchant name: <merchant description>

10 STRUCTURE - This file is a stack with the most  
recent transaction on the top.

## 2. PROFILE LIST

CONTENTS - The profile structure contains:

(1) profile number  
15 (2) profile merchant name  
(3) amount to send  
(4) amount last sent  
(5) date last sent  
(6) next date to send  
20 (7) response (approved/denied)  
(8) card issuing authorization number from  
host  
(9) retrieval reference number  
(10) sequence number of last transaction

25 STRUCTURE - The profile list will always be stored  
in profile number order.

The profile number is selected by the host to signify a  
specific bill pay account. It references both the merchant  
30 number and also the merchant internal account for that user.  
The profile number is translated in the host to provide the  
merchant with the user specific information needed to credit  
the customer's account once a bill is paid.

The retrieval reference number is generated by the host  
35 to aid in tracking a transaction within the processing system.  
The retrieval reference number is built of the least  
significant digit of the year, the gregorian date and a

sequence number that is reset at the beginning of each day and incremented for each transaction served by the remote host system 80.

5 The terminal 10 and remote host system 80 supports several types of transactions. The purchase payment transaction requests an authorization for a purchase from the selected merchant. FIG. 5 charts steps 159 to 188 for a purchase payment transaction and FIG. 6 is a purchase payment transaction receipt. The bill payment transaction provides a  
10 means for reviewing bill payment type transactions by inspecting the profile list and then initiating the actual money transfer to the selected merchants in the profile list. FIG. 7 charts steps 191 to 222 for a bill payment transaction and FIG. 8 is a bill payment transaction receipt. FIG. 9  
15 charts steps 227 to 244 for a settlement review transaction and FIG. 10 is a settlement review receipt.

The purchase payment transaction is begun by communicating with a merchant and selecting an item. This could be done over the phone or from a catalog. Then payment is sent via the  
20 purchase payment transaction. The steps outlined in FIG. 5 include: 160 entering a password if required; 162 prompting for a card swipe; 164 prompting for credit/debit; 166 if debit, prompting for account type, savings or checking; 168 prompting for dollar amount and validating that the dollar amounts are  
25 within range limits set by card issuing authority; 170 prompting for merchant number and validating check code; 172 prompting for trace indicator, which uniquely identifies a specific customer, if desired by merchant; 173 prompting for a purchase item number; 174 starting print of purchase payment receipt; 176 if debit, then prompting for PIN entry and  
30 encrypting PIN using derived unique key per transaction algorithm (DUKPT); 180 initiating dial to host (user pushes SEND key 24) and displaying status; 182 requesting authorization from card issuing authority and displaying status; 184 validating response data; 186 if approval, displaying approval information and balance if sent, logging  
35 message to transaction log, printing approval portion of

receipt; and 188 if denial, displaying denial and reason for denial and printing denial portion of receipt.

FIG. 6 shows a purchase payment receipt. The receipt items include: terminal name and address from the customer  
5 supplied information, the date and time from the host, the amount of the transaction, the account number and expiration date from the credit or debit card, the terminal number, the merchant number, the trace number, the purchase item number, the account type savings or checking, the sequence number, the  
10 authorization number from the card issuing authority and approved or denied, the retrieval reference number generated at host, which is a combination of the date and the host sequence number and provides a method of tracing the transaction through the host system, and the merchant name.

15 The bill payment transaction provides a means for reviewing a profile list and selecting which bills to pay. The steps as outlined in FIG. 7 include: 192 prompting for a password; 194 prompting for a profile number, wherein numeric entry and ENTER 18 displays specific profile, ENTER key 34  
20 alone presents the first profile number, CLEAR key 22 jumps to print, and an invalid profile number results in prompting for the profile number again; 196 displaying profile data: profile number, profile merchant name, amount to send, amount last sent, date last sent, next date to send, response  
25 (approved/denied), card issuing authorization number from host, retrieval reference number of last transaction, and sequence number of last transaction; 198 prompting whether to pay this bill, if yes, (user pushes YES/ENTER key 18) which marks profile as active, prompting for dollar amount and displaying  
30 the old amount as default, validating amount, and blanking: date last sent, retrieval reference number, sequence number and authorization number for this transaction; if no, (user pushes NO/CANCEL key 20) then continue; 200 if not end of profile list, prompting for next profile and repeating steps 192 to  
35 200; 204 prompting for card swipe; 206 prompting for credit/debit; 208 if debit, prompting for account type, savings or checking; 210 starting print of receipt; 212 if debit,



prompting for PIN entry; 214 initiating dial to host and displaying status; 216 requesting authorization from card issuing authority via remote host system 80; 218 validating response data; 220 for each profile sent, if approval, updating  
5 profile information: date last sent, retrieval reference number, card issuing authorization number, sequence number, print approval line on receipt; or if denial, updating profile information: date last sent, place denial reason in retrieval  
10 reference number, authorization number, and sequence number, and printing denial reason on receipt; and 222 displaying total amount of transactions and balance if sent.

FIG. 8 shows a bill payment transaction receipt. The receipt items include: terminal name and address from the customer supplied information, the date and time from the host,  
15 the account number and expiration date from the credit or debit card, the terminal number, the account type, and then profile information for each profile transaction: the merchant number, the merchant name, the amount, the authorization number, the sequence number and the retrieval reference number, and finally  
20 the total amount approved and paid.

It is possible to print the profile list, which gives the status of all bill pay transactions, and also to print the transaction log for purchase payment transactions.

It is also possible to cancel purchase payment  
25 transactions, which would be used for returns or for just canceling an order shortly after executing a purchase payment transaction. If mistakes are made in bill payment then it is also possible to cancel a bill payment.

The settlement review transaction provides a means to do  
30 daily settlement of the terminal 10 with the remote host system 80. The steps as outlined in FIG. 9 include: 228 prompting for password; 230 prompting for settlement day, defaulting to current date; 232 searching for all transactions in history file with entered date; 234 displaying settlement totals for  
35 date selected; 236 printing settlement summary for terminal (user pushes YES/ENTER key 18); 238 initiating dial to host and display status; 240 requesting authorization from remote host

system 80; 242 validating response data; and 244 printing host totals if unequal.

FIG. 10 shows a settlement review receipt. The receipt items include: terminal name and address from the customer  
5 supplied information; the date and time from the host; the terminal number; the credit transaction sales count, sales amount, return count, and return amount; the debit transaction sales count, sales amount, return count, and return amount; and the net count and net amount all for the terminal; and if the  
10 host totals are not in balance with the terminal then the corresponding data from the host for the date in question.

In a specific embodiment of the invention the terminal end includes a clock 115, as shown in FIG. 4, which is coupled to microprocessor unit 110. The purpose of the clock is to  
15 provide a time output which includes a date. The date is used to prompt the user to perform a bill payment transaction for a profile on the date of the next date to send a bill payment for that profile. The next date to send a bill payment is updated each time a bill payment transaction is completed. For  
20 example, if a bill payment is made on July 1st then the next date to send a bill payment could be set to August 1st. The microprocessor unit 110 would periodically compare the date from clock 115 to the profiles stored in memory 118. If the date read from clock 115 matches a next date to send bill  
25 payment in a profile, then the user is prompted via display 126 to perform a bill payment transaction for that profile. Each bill payment profile, as described above, contains information identifying the merchant, the amount of the last bill payment, the date on which the last bill payment was sent, and a next  
30 date to send the bill payment.

The clock 115 can also be used to obtain a date and time of a purchase payment transaction which is recorded in memory 118 when a purchase payment transaction is performed.

FIG. 11 is a top view of a terminal 300, which has a  
35 display 12, a QWERTY alphabetic keyboard 14, a numeric keypad 16 and a magnetic card reader slot 54. Miscellaneous keys are included on terminal 300 and are the same as shown in FIG. 1

for terminal 10. The terminal 300 also includes a printer which is internal to the terminal and printed paper is fed through paper slot 52. The terminal 300 operates in the same manner as the terminal shown in FIG. 1; however, the terminal  
5 300 includes a telephone handset 310 which has an earphone 314 and a microphone 312. A coiled cord 304 attaches the telephone handset to the terminal.

By including a telephone function with the terminal 300, the overall utility of the terminal is increased. The terminal  
10 becomes a telephone with not only the normal capabilities of a telephone, including numerical keypad 16 which can also be used as a telephone dialing keypad, but also includes a QWERTY alphabetic keyboard and the other functions of the terminal. A user can use the telephone to contact a merchant to perform  
15 a purchase payment transaction, and then when the user and the merchant are ready, the terminal modem can be used to perform a purchase payment transaction as described above. The telephone is also useful for bill payment transactions.

FIG. 12 is a block diagram of the terminal 300. A  
20 microprocessor unit 320 is coupled to RAM 322, ROM 324, display 326, numeric keypad 328, miscellaneous keys 330, alphabetic keyboard, which is a QWERTY keyboard 332, magnetic card reader 334, printer 336, encrypter 340, and modem 338. The microprocessor unit 320 also has an interface to clock 321 and  
25 to telephone circuit 342. The terminal 300 is connected to a telephone line 344 which connects to telephone circuit 342. The telephone circuit has an interface to modem 338. As shown, the telephone hand piece is connected to the telephone circuit 342.

30 The display block 326 in FIG. 12 corresponds to the liquid crystal display 12 shown in FIG. 11. Similarly, the alphabetic keyboard 332 shown in FIG. 12 corresponds to QWERTY alphabetic keyboard 14 shown in FIG. 11. The printer 336 and magnetic card reader are not visible in FIG. 11; however, the slot 54  
35 is used to swipe a magnetically coded card and paper slot 52 is associated with the printer. Of course the numeric keypad 328 and the miscellaneous keys 330 of FIG. 12 correspond to the

numeric pad 16 and the various miscellaneous keys shown in FIG. 11.

The telephone circuit essentially performs the function of converting voice and other audio into signals for transmission to a remote location. The telephone circuit 342 also receives signals from a remote location and converts the received signals into audio. This is the function of a telephone. The random access memory (RAM) 322 is used to store a purchase payment transaction log and bill payment profiles. Each purchase payment transaction in the transaction log includes a date and time of a purchase payment transaction, an amount of the purchase payment transaction, information identifying a merchant, information identifying an item or service that is purchased, and data for identifying the transaction. When the terminal is used for a purchase payment transaction, the user is prompted to swipe a credit or debit card through the magnetic card reader. If the user swipes a debit card, then the user is prompted to enter an account type such as savings or checking. The user is also prompted to enter a personal identification number which is then encrypted by encrypter 340. Alternately, the encryption could be done with firmware that is stored in ROM 324. Then the user is prompted to enter a dollar amount for the purchase and this dollar amount is validated to determine that it is within range limits set by an issuing authority for the debit card. Then the user enters information identifying the merchant that will sell the item or service and data identifying the item or service to be purchased. This information is then communicated to a remote host computer such as the remote host system 80 which includes computers and links to debit networks. If the user uses a credit card then the remote host computer debits a credit card account. If the user uses a debit card then the remote host computer transfers funds from the user's account to the merchant's account then the transaction log of purchase payment transactions stored in the terminal is updated with data for the purchase payment transaction, including a date and time of the purchase payment transaction, the amount of the

purchase payment transaction, information identifying the merchant, information identifying the item or service purchased and data for identifying the transaction.

5 A bill payment transaction is initiated by either the terminal prompting the user to pay a bill for a certain profile, because the date read from clock 312 matches the next date to send payment for a profile, or the user can initiate a bill payment transaction. The profiles stored in RAM 322 can be displayed to the user and the user can select a profile for  
10 which a bill payment transaction will be performed. Then the terminal displays the amount of the last bill payment to the user. The user then can accept the amount of the last bill payment for the amount of the payment to be made or the user can enter an amount for the bill payment amount. The user is  
15 then prompted to swipe a credit or debit card through the magnetic card reader. If the user swipes a debit card then the user is prompted to enter an account type such as savings or checking. Then the user is prompted to enter a personal identification number, which is then encrypted by encrypter  
20 340. Then the information is communicated to the remote host computer using modem 338. The remote host computer collects the payment by debiting a credit card account if the user uses a credit card or transferring funds from a debit card account, if the user uses a debit card. The selected profiles are then  
25 updated by updating the amount of the last bill payment to the bill payment amount that was just made, and updating the date on which the last bill payment was sent to the date of the bill payment transaction, which can be read from clock 321 or obtained from the remote host computer via telephone line 344  
30 and modem 338. The next date to send a bill payment is also updated, this can also be performed by reading a date from clock 321 and setting the date for the next bill payment to be one month from the current date. Then the clock 321 is used by the microprocessor unit 320 to periodically compare a date  
35 read from clock 321 to the next date to send a bill payment for each profile stored in RAM 322. If one of the profiles has a next date to send a bill payment that matches the date on clock

321, then the user is prompted to make a bill payment transaction for that profile.

A specific embodiment of a terminal for conducting purchase payment and bill payment transactions is shown in FIG. 13. The terminal 400 is similar to the terminal 10 of FIG. 1 and the terminal 300 of FIG. 11. The functions of the keys and the display are the same; however, the terminal 400 shown in FIG. 13 is designed to be more portable than the terminal of FIG. 11. The terminal of FIG. 11 is designed for desk top use and has a telephone handset 310. The terminal 400 of FIG. 13 has a cellular telephone or a wireless communication capability built into the terminal, which provides portability for the terminal. To provide for audio communications, the terminal 400 has an ear piece 402 and a microphone 404, which are used in the same way that an ear piece and a microphone on a telephone are used. The terminal 400 also includes an antenna 406 for wireless or cellular communications. A printer may or may not be included in the terminal 400. The paper slot 52 shown in FIG. 11 is not included in FIG. 13. For maximum portability it is desirable to not have a printer built into terminal 400. Instead an interface can be provided on terminal 400 which can be connected to a printer to print the purchase payment transaction log and the bill payment profiles whenever desired.

FIG. 14 shows a block diagram of the terminal 400. The block diagram is very similar to the block diagram of FIG. 14; however, instead of having a connection to telephone line 344, the telephone circuit 342 connects to the cellular/wireless transmitter/receiver 408 which transmits and receives via antenna 406. Also, rather than have a telephone handset 310, the terminal 400 has a built in microphone 404 and an earphone 402.

The operation of the terminal 400 is fundamentally the same as the terminal 300, except for the means of communication. The cellular/wireless transmitter/receiver 408 can operate either as a cellular telephone circuit for sending and receiving via a cellular telephone network or can be

another form of wireless communication such as radio. FIG. 15 illustrates terminal 400 communicating via antenna 406 to cellular station 410. The cellular station could then connect to remote host 80 via a telephone line.

5 In FIG. 14 a printer 336 is shown connected to microprocessor unit 320. As described, the printer 336 can be built into the terminal 400 or printer 336 can be external to the terminal 400 and line 335 can be used to connect the terminal 400 to the printer 336.

10 Another embodiment of a system for remote purchase payment and remote bill payment transactions is shown in FIG. 16. The system of FIG. 16 has a terminal 500 connected to a computer 422. The computer 422 has a computer monitor 426, a computer keyboard 424, a printer 432 and a modem 428 for communication  
15 via telephone line 430. The terminal 500 includes microprocessor 320, RAM 322, ROM 324, numeric keypad 328, miscellaneous keys 330, a QWERTY alphabetic keyboard 332, a clock 321 and a magnetic card reader 334. The terminal 500 also includes an encrypter, which is connected to the  
20 microprocessor 320. The terminal 500 does not need to have a display or a printer, because these are available in the computer system. For communication to the remote host computer either the modem 428 coupled to the computer 422 or the modem 338 in the terminal can be used.

25 A transaction log of purchase payment transactions can be stored in either the RAM 322 of the terminal 500 or in a memory contained within computer 422. As described before, a purchase payment transaction log consists of a date and time of a purchase payment transaction, an amount of the purchase payment  
30 transaction, information identifying the merchant, information identifying an item or service purchased and data for identifying the transaction. To perform a purchase payment transaction, the user is prompted via the computer monitor 420, which is a display, to swipe a credit or debit card through the  
35 magnetic card reader on the terminal. If the user swipes a debit card then the user is prompted to enter an account type such as savings or checking. Then the user is prompted to

enter a personal identification number via the computer monitor. Then the encrypter 340 shown in FIG. 16 or firmware in ROM 324 are used to encrypt the entered personal identification number. Then the user is prompted via the computer monitor 426 to enter a dollar amount for the purchase and the dollar amounts are validated by an issuing authority to determine whether they are within range for the debit or credit card. Then the user is prompted via the computer monitor to enter at least a portion of the information identifying the merchant and to enter data identifying an item or service to be purchased. Then the modem 428 attached to computer 422 is used to send the information to the remote host computer which then debits the credit card or transfers funds from the debit card account. Then the transaction log of purchase payment transactions stored in either RAM 322 or in a memory in computer 422 is updated with information including the date and time of the purchase payment transaction, an amount of the purchase payment transaction, information identifying the merchant, information identifying the item or service purchased, and data for identifying the transaction.

The system in FIG. 16 can also be used for bill payment transactions. A bill payment transaction is initiated either by the user or by the terminal prompting the user via messages on computer monitor 426 that the current date is the same as the next date for a bill payment to be sent for a particular profile.

Once the user has selected a profile for a bill payment transaction, then the amount of the last bill payment is displayed on the computer monitor. The user can accept this amount for the current bill payment or enter a new amount for the bill payment. Then the user is prompted via the computer monitor to swipe a credit or debit card through the magnetic card reader. If the user swipes a debit card then the user is prompted via the computer monitor to enter an account type such as savings or checking and to enter a personal identification number. The personal identification number is encrypted using the encrypter 340 or using firmware stored in ROM 324 and



performing the encryption in microprocessor 320. Then the computer 422 communicates the information to a remote host computer via modem 428 and the remote host computer either debits a credit card or transfers funds from a debit card account to the merchant whose bill is to be paid. Then the profile is updated. The amount of the last bill payment is updated to the current bill payment amount, the date on which the last bill payment was sent is updated to the current date, and the next date to send a bill payment can be updated. A clock 321 can be included in terminal 500 or a clock which is normally a part of a computer 422 can be used to determine the current date and also to add whatever time is deemed appropriate (e.g. one month) to the current date in order to derive a next date to send a bill payment. This same clock can be used for prompting the user to perform a bill payment transaction for a profile if a date read from the clock matches a next date to send a bill payment for the stored profile.

In another embodiment of the invention, the magnetic card reader 132 shown in FIG. 4, and magnetic card reader 334 shown in FIG. 12, 14, and 16, are removed from the respective terminals and replaced with smart card reader 510, as shown in FIGs. 4, 12, 14, and 16. A smart card is a card that is similar to a debit card, except that instead of having a magnetic strip on the back of the card, the smart card has an integrated circuit built into the card which has a processor and a memory. The memory is used to store data including the money balance in an account of the user. The smart card interface 510 can write information to the smart card and also read information from the smart card. The smart card interface 510 can be positioned so that a smart card inserted in slot 54 can communicate with the smart card interface 510.

The operation of a smart card with a terminal of this invention is similar to operation with a debit card, except that when a smart card is used the user must enter a personal identification number (PIN) to use the smart card; however, because the smart card has a processor, the smart card can verify that the entered PIN is correct. Thus, it is not

necessary to encrypt the PIN and send it over a telephone network to a remote host computer to conduct the transaction, as in the previously described embodiment using a debit card.

To use the smart card the user couples the smart card with  
5 the smart card interface 510 by inserting the smart card into the slot 54. Then the terminal prompts the user to enter a PIN, which is used to verify that the user owns the smart card. Then for a purchase payment transaction, the user is prompted to enter a dollar amount and also to identify a merchant and  
10 the item or service to be purchased. Then the smart card interface is used to communicate to the smart card and the smart card verifies that the account has a balance that is greater than the purchase dollar amount and that the entered PIN is correct. Then the processor debits an account tracked  
15 by the smart card by the entered dollar amount. Then the terminal communicates via the modem to the remote host computer to credit the merchant by the dollar amount and to order the purchased item or service. Then a transaction log of the purchase payment transaction is updated including the  
20 date and time, the dollar amount, information identifying the merchant, information identifying the item or service purchased, and data for identifying the transaction.

A bill payment transaction is similar to the bill payment transactions described above; however, again the use of the  
25 smart card is different than the use of the smart card. Profiles are displayed to the user and the user selects a profile for a bill payment transaction. The last bill payment is shown on the display and the user can either accept the amount of the last bill payment or enter an amount to be paid  
30 for the bill payment profile. Then the user couples the smart card with the smart card interface 510 by inserting the smart card into the slot 54. Then the terminal prompts the user to enter a PIN, which is used to verify that the user owns the smart card. Then the smart card interface is used to  
35 communicate to the smart card and the smart card verifies that the account has a balance that is greater than the amount to be paid and that the entered PIN is correct. Then the

processor debits an account tracked by the smart card by the amount to be paid for the bill payment. Then the terminal communicates via the modem to the remote host computer to credit the merchant by the amount to be paid. Then the bill  
5 payment profile is updated by updating the amount of the last bill payment to the bill payment amount, the date on which the last bill payment was sent to the date of the bill payment transaction and by updating a next date to sent a bill payment.

Other than the difference of having a smart card interface  
10 and no magnetic card reader and the difference of using a smart card versus a debit card as described above, the terminals shown in FIGs. 1 and 4, 11 and 12, 13 and 14, and 16 operate identical to the description above for the terminals that use a magnetic card reader. For example, the clock 321 shown in  
15 FIG. 12, can be used as before to prompt a user to make a bill payment when the date on the clock matches the date of the next bill payment for a bill payment profile.

The terminals shown in FIGs. 1 and 4, 11 and 12, 13 and 14, and 16 can have various external interfaces, as indicated  
20 by serial/external interface 130 in FIG. 4 and external interface 339 shown in FIGs. 12, 14 and 16. The external interfaces can include a PCMIA card interface and a serial interface. The PCMIA card interface can be used to add functionality to the terminal, such as more memory. The PCMIA  
25 card interface can also be used to provide a modem built onto a PCMIA card. This allows the terminal to be easily upgraded as technology advances.

The described embodiments of the invention are only considered to be preferred and illustrative of the inventive  
30 concept, the scope of the invention is not to be restricted to such embodiments. Various and numerous other arrangements may be devised by one skilled in the art without departing from the spirit and scope of this invention.

It is therefore intended by the appended claims to cover  
35 any and all such applications, modifications and embodiments within the scope of the present invention.

What Is Claimed Is:

1. A terminal for allowing a user to conduct remote purchase payment and remote bill payment transactions with a remote host computer, the terminal comprising:

a QWERTY alphabetic keyboard for entering alphabetic information integral to the terminal;

a numeric keypad for entering numeric information integral to the terminal;

a magnetic card reader for reading a magnetically encoded card integral to the terminal;

a display integral to the terminal;

a printer integral to the terminal;

a modem for communication on telephone lines to the remote host computer, the modem integral to the terminal;

control means integral to the terminal for operating the terminal, the control means coupled to the QWERTY alphabetic keyboard, the numeric keyboard, the magnetic card reader, the display, the printer, and the modem; and

means integral to the terminal and coupled to the control means for storing a transaction log of purchase payment transactions, each purchase payment transaction in the transaction log comprising a date and time of the purchase payment transaction, an amount of the purchase payment transaction, information identifying a merchant, information identifying an item or service purchased, and data for identifying the transaction.

2. The terminal of claim 1 further comprising:

means for prompting the user to swipe a credit or debit card through the magnetic card reader;

means for prompting the user to enter an account type, savings or checking, if the user swipes a debit card;

means for prompting the user to enter a personal identification number, if the user swipes a debit card;

means for encrypting the entered personal identification number, if the user swipes a debit card;

means for prompting user to enter a dollar amount and validating that the dollar amounts are within range limits set by an issuing authority for the debit card;

5 means for prompting the user to enter at least a portion of the information identifying the merchant;

means for prompting the user to enter data identifying item or service to be purchased;

10 means for communicating with the remote host computer using the modem so that the remote host computer debits a credit card account, if the user uses a credit card, or transfers funds from a debit card account, if the user uses a debit card, and credits the merchant in order to perform a purchase payment transaction;

15 means for updating the transaction log of purchase payment transactions in the terminal with data for the purchase payment transaction including a date and time of the purchase payment transaction, an amount of the purchase payment transaction, information identifying the merchant, information identifying the item or service purchased, and data for identifying the transaction; and

20 means for controlling the printer to print a receipt for the purchase payment transaction.

3. The terminal of claim 1 further comprising means  
25 integral to the terminal and coupled to the control means for storing one or more profiles of bill payment transactions, each profile comprising information identifying the merchant, an amount of a last bill payment, a date on which last bill payment was sent, and a next date to send bill payment.

30

4. The terminal of claim 3 further comprising:

means for controlling the display to display the profiles to the user;

35 means for the user to select a profile for a bill payment transaction;

means for controlling the display to display the amount of the last bill payment;

means for accepting the amount of the last bill payment for the selected profile or accepting an entered amount for the bill payment amount;

5 means for prompting the user to swipe a credit or debit card through the magnetic card reader;

means for prompting the user to enter an account type, savings or checking, if the user swipes a debit card;

means for prompting the user to enter a personal identification number, if the user swipes a debit card;

10 means for encrypting the entered personal identification number, if the user swipes a debit card;

means for communicating with the remote host computer using the modem so that the remote host computer debits a credit card account, if the user uses a credit card, or  
15 transfers funds from a debit card account, if the user uses a debit card, and credits the merchant in order to perform a bill payment transaction; and

means for updating data in the selected profile including the amount of the last bill payment to the bill payment amount,  
20 the date on which last bill payment was sent to the date of the bill payment transaction, and the next date to send a bill payment.

5. The terminal of claim 4 further comprising means for  
25 prompting the user to perform a bill payment transaction for a profile, if a date matches a next date to send bill payment for the profile.

6. The terminal of claim 5 wherein the means for  
30 prompting the user to perform a bill payment transaction for a profile comprises a clock.

7. A method for allowing a user to conduct remote purchase payment transactions with a remote host computer, the  
35 method comprising the step of storing a transaction log of purchase payment transactions in a memory in a terminal having integral to the terminal a QWERTY alphabetic keyboard for

entering alphabetic information, a numeric keyboard for entering numeric information, a magnetic card reader for reading a magnetically encoded card, a display, a printer, a modem for communication on telephone lines, and a control device coupled to the QWERTY alphabetic keyboard, the numeric keyboard, the magnetic card reader, the display, the printer, the modem, and the memory, each purchase payment transaction in the transaction log comprising a date and time of the purchase payment transaction, an amount of the purchase payment transaction, information identifying a merchant, information identifying an item or service purchased, and data for identifying the transaction.

8. The method of claim 7 further comprising the steps of:

prompting the user to swipe a credit or debit card through the magnetic card reader;

prompting the user to enter an account type, savings or checking, if the user swipes a debit card;

prompting the user to enter a personal identification number, if the user swipes a debit card;

encrypting the entered personal identification number, if the user swipes a debit card;

prompting user to enter a dollar amount and validating that the dollar amounts are within range limits set by an issuing authority for the debit card;

prompting the user to enter at least a portion of the information identifying the merchant;

prompting the user to enter data identifying an item or service to be purchased;

communicating with the remote host computer using the modem and the remote host computer debiting a credit card account, if the user uses a credit card, or transferring funds from a debit card account, if the user uses a debit card, and credits the merchant in order to perform a purchase payment transaction;

updating the transaction log of purchase payment transactions in the terminal with data for the purchase payment transaction including a date and time of the purchase payment transaction, an amount of the purchase payment transaction, information identifying the merchant, information identifying the item or service purchased, and data for identifying the transaction; and

controlling the printer to print a receipt for the purchase payment transaction.

9. The method of claim 7 further comprising the steps of:  
storing one or more profiles of bill payment transactions in a memory in the terminal, each profile comprising information identifying the merchant, an amount of a last bill payment, a date on which last bill payment was sent, and a next date to send bill payment.

10. The method of claim 9 further comprising the steps of:

controlling the display to display the profiles to the user to allow the user to select a profile for a bill payment transaction;

controlling the display to display the amount of the last bill payment;

accepting the amount of the last bill payment for the selected profile or accepting an entered amount for the bill payment amount;

prompting the user to swipe a credit or debit card through the magnetic card reader;

prompting the user to enter an account type, savings or checking, if the user swipes a debit card;

prompting the user to enter a personal identification number, if the user swipes a debit card;

encrypting the entered personal identification number, if the user swipes a debit card;



communicating with the remote host computer using the modem and the remote host computer debiting a credit card account, if the user uses a credit card, or transferring funds from a debit card account, if the user uses a debit card, and credits the merchant in order to perform a bill payment transaction; and

updating data in the selected profile including the amount of the last bill payment to the bill payment amount, the date on which last bill payment was sent to the date of the bill payment transaction, and the next date to send a bill payment.

11. The method of claim 10 further comprising the step of prompting the user to perform a bill payment transaction for a profile on the date of the next date to send bill payment for the profile.

12. A terminal for allowing a user to conduct remote purchase payment and remote bill payment transactions with a remote host computer, the terminal comprising:

a QWERTY alphabetic keyboard for entering alphabetic information integral to the terminal;

a numeric keypad for entering numeric information integral to the terminal;

a magnetic card reader for reading a magnetically encoded card integral to the terminal;

a display integral to the terminal;

means integral to the terminal for converting voice and other audio into signals for transmission to a remote location and for receiving signals from a remote location and converting the received signals into audio;

a modem for data communication to the remote host computer integral to the terminal and coupled to the means for converting voice and other audio into signals for transmission to a remote location and for receiving signals from a remote location and converting the received signals into audio;

control means integral to the terminal for operating the terminal, the control means coupled to the QWERTY alphabetic

keyboard, the numeric keyboard, the magnetic card reader, the display, and the modem; and

means integral to the terminal and coupled to the control means for storing a transaction log of purchase payment transactions, each purchase payment transaction in the transaction log comprising a date and time of the purchase payment transaction, an amount of the purchase payment transaction, information identifying a merchant, information identifying an item or service purchased, and data for identifying the transaction.

13. The terminal of claim 12 further comprising:

means for prompting the user to swipe a credit or debit card through the magnetic card reader;

means for prompting the user to enter an account type, savings or checking, if the user swipes a debit card;

means for prompting the user to enter a personal identification number, if the user swipes a debit card;

means for encrypting the entered personal identification number, if the user swipes a debit card;

means for prompting user to enter a dollar amount and validating that the dollar amounts are within range limits set by an issuing authority for the debit card;

means for prompting the user to enter at least a portion of the information identifying the merchant;

means for prompting the user to enter data identifying item or service to be purchased;

means for communicating with the remote host computer using the modem so that the remote host computer debits a credit card account, if the user uses a credit card, or transfers funds from a debit card account, if the user uses a debit card, and credits the merchant in order to perform a purchase payment transaction; and

means for updating the transaction log of purchase payment transactions in the terminal with data for the purchase payment transaction including a date and time of the purchase payment transaction, an amount of the purchase payment transaction,

information identifying the merchant, information identifying the item or service purchased, and data for identifying the transaction.

5

14. The terminal of claim 12 further comprising means integral to the terminal and coupled to the control means for storing one or more profiles of bill payment transactions, each profile comprising information identifying the merchant, an amount of a last bill payment, a date on which last bill payment was sent, and a next date to send bill payment.

15. The terminal of claim 14 further comprising:  
means for controlling the display to display the profiles to the user;

means for the user to select a profile for a bill payment transaction;

means for controlling the display to display the amount of the last bill payment;

20 means for accepting the amount of the last bill payment for the selected profile or accepting an entered amount for the bill payment amount;

means for prompting the user to swipe a credit or debit card through the magnetic card reader;

25 means for prompting the user to enter an account type, savings or checking, if the user swipes a debit card;

means for prompting the user to enter a personal identification number, if the user swipes a debit card;

30 means for encrypting the entered personal identification number, if the user swipes a debit card;

means for communicating with the remote host computer using the modem so that the remote host computer debits a credit card account, if the user uses a credit card, or transfers funds from a debit card account, if the user uses a debit card, and credits the merchant in order to perform a bill payment transaction; and

means for updating data in the selected profile including the amount of the last bill payment to the bill payment amount, the date on which last bill payment was sent to the date of the bill payment transaction, and the next date to send a bill payment.

16. The terminal of claim 15 further comprising means for prompting the user to perform a bill payment transaction for a profile, if a date matches a next date to send bill payment for the profile.

17. The terminal of claim 16 wherein the means for prompting the user to perform a bill payment transaction for a profile comprises a clock.

18. The terminal of claim 14 wherein the means integral to the terminal for converting voice and other audio into signals for transmission to a remote location and for receiving signals from a remote location and converting the received signals into audio comprises a telephone integral to the terminal and coupled to a telephone line and wherein the modem is coupled to the telephone line.

19. The terminal of claim 14 wherein the means integral to the terminal for converting voice and other audio into signals for transmission to a remote location and for receiving signals from a remote location and converting the received signals into audio comprises a cellular telephone integral to the terminal for wireless communication to a telephone network and wherein the modem is coupled to cellular telephone for wireless communication to a telephone network.

20. The terminal of claim 14 wherein the means integral to the terminal for converting voice and other audio into signals for transmission to a remote location and for receiving signals from a remote location and converting the received signals into audio comprises a wireless communication device

integral to the terminal for wireless communication and wherein the modem is coupled to the wireless communication device for wireless communication.

- 5           21. A system for allowing a user to conduct remote purchase payment transactions with a remote host computer, the system comprising:
- a terminal comprising:
- a QWERTY alphabetic keyboard for entering alphabetic  
10   information integral to the terminal;
- a numeric keypad for entering numeric information integral to the terminal;
- a magnetic card reader for reading a magnetically encoded card integral to the terminal;
- 15           means for encrypting integral to the terminal;
- control means integral to the terminal for operating the terminal, the control means coupled to the QWERTY alphabetic keyboard, the numeric keyboard, the magnetic card reader and the means for encrypting;
- 20           a personal computer coupled to the terminal, the personal computer comprising:
- a modem for communicating with the remote host computer;
- a keyboard; and
- 25           a display; and
- means integral to the terminal or the personal computer for storing a transaction log of purchase payment transactions, each purchase payment transaction in the transaction log comprising a date and time of the purchase payment transaction, an amount of the purchase payment transaction, information  
30   identifying a merchant, information identifying an item or service purchased, and data for identifying the transaction.

22. The system of claim 21 further comprising:
- 35           means for prompting the user via the display to swipe a credit or debit card through the magnetic card reader;

means for prompting the user via the display to enter an account type, savings or checking, if the user swipes a debit card;

5 means for prompting the user via the display to enter a personal identification number, if the user swipes a debit card; means for controlling the means for encryption to encrypt the entered personal identification number, if the user swipes a debit card;

10 means for prompting user via the display to enter a dollar amount and validating that the dollar amounts are within range limits set by an issuing authority for the debit card;

means for prompting the user via the display to enter at least a portion of the information identifying the merchant;

15 means for prompting the user via the display to enter data identifying an item or service to be purchased;

means for communicating with the remote host computer using the modem so that the remote host computer debits a credit card account, if the user uses a credit card, or transfers funds from a debit card account, if the user uses a debit card, and credits the merchant in order to perform a purchase payment transaction; and

20

means for updating the transaction log of purchase payment transactions with data for the purchase payment transaction including a date and time of the purchase payment transaction, an amount of the purchase payment transaction, information identifying the merchant, information identifying the item or service purchased, and data for identifying the transaction.

25

23. The system of claim 21 further comprising means integral to the terminal or the personal computer for storing one or more profiles of bill payment transactions, each profile comprising information identifying the merchant, an amount of a last bill payment, a date on which last bill payment was sent, and a next date to send bill payment.

30

35

24. The system of claim 23 further comprising:

means for controlling the display to display the profiles to the user;

means for the user to select a profile for a bill payment transaction;

5 means for controlling the display to display the amount of the last bill payment;

means for accepting the amount of the last bill payment for the selected profile or accepting an entered amount for the bill payment amount;

10 means for prompting the user via the display to swipe a credit or debit card through the magnetic card reader;

means for prompting the user via the display to enter an account type, savings or checking, if the user swipes a debit card;

15 means for prompting the user via the display to enter a personal identification number, if the user swipes a debit card;

means for controlling the means for encryption to encrypt the entered personal identification number, if the user swipes a debit card;

20 means for communicating with the remote host computer using the modem so that the remote host computer debits a credit card account, if the user uses a credit card, or transfers funds from a debit card account, if the user uses a debit card, and credits the merchant in order to perform a bill payment transaction; and

means for updating data in the selected profile including the amount of the last bill payment to the bill payment amount, the date on which last bill payment was sent to the date of the bill payment transaction, and the next date to send a bill payment.

25. The system of claim 24 further comprising means for reading a clock and prompting the user to perform a bill payment transaction for a profile, if a date read from the clock matches a next date to send bill payment for the profile.

26. A terminal for allowing a user to conduct remote purchase payment and remote bill payment transactions with a remote host computer, the terminal comprising:

5 a QWERTY alphabetic keyboard for entering alphabetic information integral to the terminal;

a numeric keypad for entering numeric information integral to the terminal;

10 a smart card interface integral to the terminal for reading information from and writing information to a smart card having an integrated circuit including a memory and a processor;

a display integral to the terminal;

a printer integral to the terminal;

15 a modem for communication on telephone lines to the remote host computer, the modem integral to the terminal;

control means integral to the terminal for operating the terminal, the control means coupled to the QWERTY alphabetic keyboard, the numeric keyboard, the smart card interface, the display, the printer, and the modem; and

20 means integral to the terminal and coupled to the control means for storing a transaction log of purchase payment transactions, each purchase payment transaction in the transaction log comprising a date and time of the purchase payment transaction, an amount of the purchase payment transaction, information identifying a merchant, information identifying an item or service purchased, and data for identifying the transaction.

27. The terminal of claim 26 further comprising:

30 means for prompting the user to couple the smart card with the smart card interface;

means for prompting the user to enter a personal identification number;

means for prompting user to enter a dollar amount;

35 means for prompting the user to enter at least a portion of the information identifying the merchant;



means for prompting the user to enter data identifying item or service to be purchased;

means for using the smart card interface to communicate to the smart card so that the processor in the smart card debits an account tracked by the smart card by the dollar amount;

means for communicating to the remote host computer via the modem so that the remote host computer credits the merchant by the dollar amount; and

means for updating the transaction log of purchase payment transactions in the terminal with data for the purchase payment transaction including a date and time of the purchase payment transaction, an amount of the purchase payment transaction, information identifying the merchant, information identifying the item or service purchased, and data for identifying the transaction.

28. The terminal of claim 26 further comprising means integral to the terminal and coupled to the control means for storing one or more profiles of bill payment transactions, each profile comprising information identifying the merchant, an amount of a last bill payment, a date on which last bill payment was sent, and a next date to send bill payment.

29. The terminal of claim 28 further comprising:

means for controlling the display to display the profiles to the user;

means for the user to select a profile for a bill payment transaction;

means for controlling the display to display the amount of the last bill payment;

means for accepting the amount of the last bill payment for the selected profile or accepting an entered amount for the bill payment amount;

means for prompting the user to couple the smart card with the smart card interface;

means for prompting the user to enter a personal identification number;

means for using the smart card interface to communicate to the smart card so that the processor in the smart card debits an account tracked by the smart card by the bill payment amount;

means for communicating to the remote host computer via the modem so that the remote host computer credits the merchant by the bill payment amount; and

means for updating data in the selected profile including the amount of the last bill payment to the bill payment amount, the date on which last bill payment was sent to the date of the bill payment transaction, and the next date to send a bill payment.

15

30. The terminal of claim 29 further comprising means for prompting the user to perform a bill payment transaction for a profile, if a date matches a next date to send bill payment for the profile.

20

31. The terminal of claim 30 wherein the means for prompting the user to perform a bill payment transaction for a profile comprises a clock.

25

32. A method for allowing a user to conduct remote purchase payment transactions with a remote host computer, the method comprising the step of storing a transaction log of purchase payment transactions in a memory in a terminal having integral to the terminal a QWERTY alphabetic keyboard for entering alphabetic information, a numeric keyboard for entering numeric information, a smart card interface for reading information from and writing information to a smart card having an integrated circuit including a memory and a processor, a display, a printer, a modem for communication on telephone lines, and a control device coupled to the QWERTY alphabetic keyboard, the numeric keyboard, the smart card interface, the display, the printer, the modem, and the memory,

30

35

each purchase payment transaction in the transaction log comprising a date and time of the purchase payment transaction, an amount of the purchase payment transaction, information identifying a merchant, information identifying an item or service purchased, and data for identifying the transaction.

33. The method of claim 32 further comprising the steps of:

prompting the user to couple the smart card with the smart card interface;  
prompting the user to enter a personal identification number;  
prompting user to enter a dollar amount;  
prompting the user to enter at least a portion of the information identifying the merchant;  
prompting the user to enter data identifying item or service to be purchased;  
using the smart card interface to communicate to the smart card so that the processor in the smart card debits an account tracked by the smart card by the dollar amount;  
communicating to the remote host computer via the modem so that the remote host computer credits the merchant by the dollar amount; and  
updating the transaction log of purchase payment transactions in the terminal with data for the purchase payment transaction including a date and time of the purchase payment transaction, an amount of the purchase payment transaction, information identifying the merchant, information identifying the item or service purchased, and data for identifying the transaction.

34. The method of claim 33 further comprising the steps of:

storing one or more profiles of bill payment transactions in a memory in the terminal, each profile comprising information identifying the merchant, an amount of a last bill payment, a

date on which last bill payment was sent, and a next date to send bill payment.

5        35. The method of claim 34 further comprising the steps of:

controlling the display to display the profiles to the user to allow the user to select a profile for a bill payment transaction;

10        controlling the display to display the amount of the last bill payment;

accepting the amount of the last bill payment for the selected profile or accepting an entered amount for the bill payment amount;

15        prompting the user to couple the smart card with the smart card interface;

prompting the user to enter a personal identification number;

20        using the smart card interface to communicate to the smart card so that the processor in the smart card debits an account tracked by the smart card by the bill payment amount;

communicating to the remote host computer via the modem so that the remote host computer credits the merchant by the bill payment amount; and

25        updating data in the selected profile including the amount of the last bill payment to the bill payment amount, the date on which last bill payment was sent to the date of the bill payment transaction, and the next date to send a bill payment.

30        36. The method of claim 35 further comprising the step of prompting the user to perform a bill payment transaction for a profile on the date of the next date to send bill payment for the profile.

35        37. A terminal for allowing a user to conduct remote purchase payment and remote bill payment transactions with a remote host computer, the terminal comprising:

a QWERTY alphabetic keyboard for entering alphabetic information integral to the terminal;

a numeric keypad for entering numeric information integral to the terminal;

5 a smart card interface integral to the terminal for reading information from and writing information to a smart card having an integrated circuit including a memory and a processor;

a display integral to the terminal;

10 means integral to the terminal for converting voice and other audio into signals for transmission to a remote location and for receiving signals from a remote location and converting the received signals into audio;

a modem for data communication to the remote host computer  
15 integral to the terminal and coupled to the means for converting voice and other audio into signals for transmission to a remote location and for receiving signals from a remote location and converting the received signals into audio;

control means integral to the terminal for operating the  
20 terminal, the control means coupled to the QWERTY alphabetic keyboard, the numeric keypad, the magnetic card reader, the display, and the modem; and

means integral to the terminal and coupled to the control means for storing a transaction log of purchase payment  
25 transactions, each purchase payment transaction in the transaction log comprising a date and time of the purchase payment transaction, an amount of the purchase payment transaction, information identifying a merchant, information identifying an item or service purchased, and data for  
30 identifying the transaction.

38. The terminal of claim 37 further comprising:

means for prompting the user to couple the smart card with the smart card interface;

35 means for prompting the user to enter a personal identification number;

means for prompting user to enter a dollar amount;

means for prompting the user to enter at least a portion of the information identifying the merchant;

means for prompting the user to enter data identifying item or service to be purchased;

5 means for using the smart card interface to communicate to the smart card so that the processor in the smart card debits an account tracked by the smart card by the dollar amount;

10 means for communicating to the remote host computer via the modem so that the remote host computer credits the merchant by the dollar amount; and

means for updating the transaction log of purchase payment transactions in the terminal with data for the purchase payment transaction including a date and time of the purchase payment transaction, an amount of the purchase payment transaction, 15 information identifying the merchant, information identifying the item or service purchased, and data for identifying the transaction.

20 39. The terminal of claim 38 further comprising means integral to the terminal and coupled to the control means for storing one or more profiles of bill payment transactions, each profile comprising information identifying the merchant, an amount of a last bill payment, a date on which last bill payment was sent, and a next date to send bill payment. 25

40. The terminal of claim 39 further comprising:

means for controlling the display to display the profiles to the user;

30 means for the user to select a profile for a bill payment transaction;

means for controlling the display to display the amount of the last bill payment;

35 means for accepting the amount of the last bill payment for the selected profile or accepting an entered amount for the bill payment amount;

means for prompting the user to couple the smart card with the smart card interface;

means for prompting the user to enter a personal identification number;

5 means for using the smart card interface to communicate to the smart card so that the processor in the smart card debits an account tracked by the smart card by the bill payment amount;

10 means for communicating to the remote host computer via the modem so that the remote host computer credits the merchant by the bill payment amount; and

means for updating data in the selected profile including the amount of the last bill payment to the bill payment amount, the date on which last bill payment was sent to the date of the bill payment transaction, and the next date to send a bill payment.

41. The terminal of claim 40 further comprising means for prompting the user to perform a bill payment transaction for a profile, if a date matches a next date to send bill payment for the profile.

42. The terminal of claim 41 wherein the means for prompting the user to perform a bill payment transaction for a profile comprises a clock.

43. The terminal of claim 41 wherein the means integral to the terminal for converting voice and other audio into signals for transmission to a remote location and for receiving signals from a remote location and converting the received signals into audio comprises a telephone integral to the terminal and coupled to a telephone line and wherein the modem is coupled to the telephone line.

44. The terminal of claim 41 wherein the means integral to the terminal for converting voice and other audio into signals for transmission to a remote location and for receiving

signals from a remote location and converting the received signals into audio comprises a cellular telephone integral to the terminal for wireless communication to a telephone network and wherein the modem is coupled to cellular telephone for wireless communication to a telephone network.

45. The terminal of claim 41 wherein the means integral to the terminal for converting voice and other audio into signals for transmission to a remote location and for receiving signals from a remote location and converting the received signals into audio comprises a wireless communication device integral to the terminal for wireless communication and wherein the modem is coupled to the wireless communication device for wireless communication.

15

46. A system for allowing a user to conduct remote purchase payment transactions with a remote host computer, the system comprising:

a terminal comprising:

20 a QWERTY alphabetic keyboard for entering alphabetic information integral to the terminal;

a numeric keypad for entering numeric information integral to the terminal;

25 a smart card interface integral to the terminal for reading information from and writing information to a smart card having an integrated circuit including a memory and a processor;

30 control means integral to the terminal for operating the terminal, the control means coupled to the QWERTY alphabetic keyboard, the numeric keyboard, and the smart card interface;

a personal computer coupled to the terminal, the personal computer comprising:

35 a modem for communicating with the remote host computer;

a keyboard; and

a display; and



means integral to the terminal or the personal computer for storing a transaction log of purchase payment transactions, each purchase payment transaction in the transaction log comprising a date and time of the purchase payment transaction, an amount of the purchase payment transaction, information identifying a merchant, information identifying an item or service purchased, and data for identifying the transaction.

47. The system of claim 46 further comprising:

means for prompting the user via the display to couple the smart card with the smart card interface;

means for prompting the user via the display to enter a personal identification number;

means for prompting user via the display to enter a dollar amount;

means for prompting the user via the display to enter at least a portion of the information identifying the merchant;

means for prompting the user via the display to enter data identifying an item or service to be purchased;

means for using the smart card interface to communicate to the smart card so that the processor in the smart card debits an account tracked by the smart card by the dollar amount;

means for communicating to the remote host computer via the modem so that the remote host computer credits the merchant by the dollar amount; and

means for updating the transaction log of purchase payment transactions in the terminal with data for the purchase payment transaction including a date and time of the purchase payment transaction, an amount of the purchase payment transaction, information identifying the merchant, information identifying the item or service purchased, and data for identifying the transaction.


48. The system of claim 47 further comprising means integral to the terminal or the personal computer for storing one or more profiles of bill payment transactions, each profile

comprising information identifying the merchant, an amount of a last bill payment, a date on which last bill payment was sent, and a next date to send bill payment.

- 5           49. The system of claim 48 further comprising:  
          means for controlling the display to display the profiles  
          to the user;  
          means for the user to select a profile for a bill payment  
          transaction;  
10           means for controlling the display to display the amount  
          of the last bill payment;  
          means for accepting the amount of the last bill payment  
          for the selected profile or accepting an entered amount for the  
          bill payment amount;  
15           means for prompting the user to couple the smart card with  
          the smart card interface;  
          means for prompting the user to enter a personal  
          identification number;  
          means for using the smart card interface to communicate  
20           to the smart card so that the processor in the smart card  
          debits an account tracked by the smart card by the bill payment  
          amount;  
          means for communicating to the remote host computer via  
          the modem so that the remote host computer credits the merchant  
25           by the bill payment amount; and  
          means for updating data in the selected profile including  
          the amount of the last bill payment to the bill payment amount,  
          the date on which last bill payment was sent to the date of the  
          bill payment transaction, and the next date to send a bill  
30           payment.

50. The system of claim 49 further comprising means for  
          reading a clock and prompting the user to perform a bill  
          payment transaction for a profile, if a date read from the  
35           clock matches a next date to send bill payment for the profile.

FIG. 1



2/19






FIG. 2

FIG. 3



4/19

FIG. 4



5/19




FIG. 5A

6/19





FIG. 5B




190



PURCHASE PAYMENT TRANSACTION RECEIPT  
< TERMINAL NAME >  
< TERMINAL ADDRESS >  
< TERMINAL CITY STATE >  
DATE MM/DD/YY TIME HH:MM  
AMOUNT : \$ < AMOUNT >  
ACCOUNT # : < ACCOUNT NUMBER > / EXPIRE DATE  
TERMINAL# : < TERMINAL NUMBER >  
MERCHANT # : < MERCHANT ID >  
TRACE# : < TRACE ID >  
ITEM# : < PURCHASED ITEM IDENTIFIER >  
ACCOUNT : < ACCOUNT TYPE > SAVINGS,  
CHECKING  
SEQUENCE# : < SEQUENCE NUMBER >  
AUTH NUMBER : < AUTHORIZATION NUMBER FROM  
HOST >  
< APPROVED OR DENIED >  
REFERENCE# : < RETRIEVAL REFERENCE NUMBER >  
MERCH. NAME : < MERCHANT DESCRIPTION >

FIG. 6

8/19



6 FIG. 7A




FIG. 7B

10/19




FIG. 7C

11/19

224

BILL PAYMENT TRANSACTION RECEIPT  
<TERMINAL NAME>  
<TERMINAL ADDRESS>  
<TERMINAL CITY STATE>  
DATE MM/DD/YY TIME HH:MM  
ACCOUNT# : <ACCOUNT NUMBER> /EXPIRE DATE  
TERMINAL# : <TERMINAL NUMBER>  
ACCOUNT : <ACCOUNT TYPE> SAVINGS,  
CHECKING  
=====PROFILE DATA=====

== <MERCHANT NUMBER> ==  
== <MERCHANT NAME> ==  
AMOUNT : \$ \_\_\_\_\_  
AUTH NUMBER : <AUTHORIZATION NUMBER FROM  
HOST>  
<APPROVED OR DENIED>  
SEQUENCE# : <SEQUENCE NUMBER>  
REFERENCE# : <RETRIEVAL REFERENCE  
NUMBER>  
.  
.  
.

== <MERCHANT NUMBER> ==  
== <MERCHANT NAME> ==  
AMOUNT : \$ \_\_\_\_\_  
AUTH NUMBER : <AUTHORIZATION NUMBER FROM  
HOST>  
<APPROVED OR DENIED>  
SEQUENCE# : <SEQUENCE NUMBER>  
REFERENCE# : <RETRIEVAL REFERENCE  
NUMBER>

=====

TOTAL APPROVED: \$ \_\_\_\_\_

FIG. 8

12/19




FIG. 9


13/19

246

SETTLEMENT REVIEW RECEIPT  
<TERMINAL NAME>  
<TERMINAL ADDRESS>  
<TERMINAL CITY STATE>  
DATE MM/DD/YY TIME HH:MM  
TERMINAL# : <TERMINAL NUMBER>  
CREDIT TRANSACTIONS  
SALES COUNT : XXXX  
SALES AMOUNT : \$XXXXXX.XX  
RETURN COUNT : XXXX  
RETURN AMOUNT : \$XXXXXX.XX  
DEBIT TRANSACTIONS  
SALES COUNT : XXXX  
SALES AMOUNT : \$XXXXXX.XX  
RETURN COUNT : XXXX  
RETURN AMOUNT : \$XXXXXX.XX  
  
NET COUNT : XXXX  
NET AMOUNT : \$XXXXXX.XX  
  
HOST TOTALS IF TERMINAL NOT IN BALANCE WITH  
HOST  
  
HOST TOTALS  
CREDIT TRANSACTIONS  
SALES COUNT : XXXX  
SALES AMOUNT : \$XXXXXX.XX  
RETURN COUNT : XXXX  
RETURN AMOUNT : \$XXXXXX.XX  
DEBIT TRANSACTIONS  
SALES COUNT : XXXX  
SALES AMOUNT : \$XXXXXX.XX  
RETURN COUNT : XXXX  
RETURN AMOUNT : \$XXXXXX.XX  
  
NET COUNT : XXXX  
NET AMOUNT : \$XXXXXX.XX

FIG. 10

FIG. 11









**FIG. 12**

FIG. 13



**FIG. 14**

**FIG. 15**




FIG. 16

## INTERNATIONAL SEARCH REPORT

International application No.

PCT/US95/10390

**A. CLASSIFICATION OF SUBJECT MATTER**

IPC(6) : G07F 19/00, 7/08; H04L 9/32

US CL : 380/24; 235/379, 380; 902/24

According to International Patent Classification (IPC) or to both national classification and IPC

**B. FIELDS SEARCHED**

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 380/24; 235/379, 380; 902/24, 22, 2

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

**C. DOCUMENTS CONSIDERED TO BE RELEVANT**

| Category* | Citation of document, with indication, where appropriate, of the relevant passages                      | Relevant to claim No. |
|-----------|---|-----------------------|
| Y         | US, A, 5,334,821, (CAMPO ET AL) 02 AUGUST 1994, FIG. 1 AND COL. 2, LINES 47-62 AND COL. 4, LINES 58-64. | 1-50                  |
| Y         | US, A, 5,220,501 (LAWLOR ET AL) 15 JUNE 1993, FIG. 9, COL. 12, LINE 32 THROUGH COL. 14, LINE 10.        | 1-50                  |
| Y         | US, S, D266,929 (COPPOLA ET AL) 16 NOVEMBER 1982, FIG. 5.   | 1-50                  |
| Y         | US, A, 4,675,815 (KUROKI ET AL) 23 JUNE 1987, FIG. 2, COL. 3, LINES 29-68.                              | 1-50                  |
| A         | US, A, 4,689,478 (HALE ET AL) 25 AUGUST 1987, FIG. 12, COL. 13, LINES 31-68.                            | 1-50                  |



Further documents are listed in the continuation of Box C.



See patent family annex.

|   |     |  |
|---|-----|--|
| * Special categories of cited documents:  | * T | later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention  |
| * A document defining the general state of the art which is not considered to be of particular relevance  | * X | documents of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone  |
| * E earlier document published on or after the international filing date  | * Y | document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art |
| * L document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) | * A | document member of the same patent family  |
| * O document referring to an oral disclosure, use, exhibition or other means  |     |  |
| * P document published prior to the international filing date but later than the priority date claimed  |     |  |

Date of the actual completion of the international search

27 OCTOBER 1995

Date of mailing of the international search report

27.12.95

Name and mailing address of the ISA/US  
Commissioner of Patents and Trademarks  
Box PCT  
Washington, D.C. 20231

Facsimile No. (703) 305-3230

Authorized officer

GILBERTO BARRÓN JR.

Telephone No. (703) 308-0472

Form PCT/ISA/210 (second sheet)(July 1992)\*